Route: SKIN APPLICATION

Species/Strain: RATS/F 344

Test Type: 90-DAY

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

DIISOPROPYLCARBODIIMIDE

CAS Number: 693-13-0

Pathologist: BIERLEY, B. - STEDHAM, M. - SHANAHAN, P.

Final #2/Rats

C Number: C93020

Lock Date: 05/16/1995

Cage Range: ALL

Date Range: ALL

Reasons For Removal: ALL

Removal Date Range: ALL

Treatment Groups: Include ALL

Date Report Reqsted: 08/08/2005

Time Report Reqsted: 08:53:32 First Dose M/F: 09/06/94 / 09/07/94

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: SKIN APPLICATION

Species/Strain: RATS/F 344

Test Type: 90-DAY

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

DIISOPROPYLCARBODIIMIDE

CAS Number: 693-13-0

Pathologist: BIERLEY, B. - STEDHAM, M. - SHANAHAN, P.

Date Report Reqsted: 08/08/2005

Time Report Reqsted: 08:53:32 First Dose M/F: 09/06/94 / 09/07/94

FISCHER 344 RATS MALE	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/K
isposition Summary						
Animals Initially in Study	10	10	10	10	10	10
Early Deaths Moribund Sacrifice Natural Death					10	3 7
Survivors Terminal Sacrifice Animals Examined Microscopically	10 10	10 10	10 10	10 10	10	10
LIMENTARY SYSTEM						
Liver Centrilobular, Congestion Centrilobular, Vacuolization Cytoplasmic	(10)	(0)	(0)	(10)	(10) 4 [1.5] 1 [1.0]	(10) 6 [2.3] 6 [1.5]
Periportal, Vacuolization Cytoplasmic Pancreas	1 [1.0] (10)	(0)	(0)	(10)	(10)	(9)
Acinus, Atrophy, Focal Stomach, Glandular Infiltration Cellular, Mixed Cell Cyst	1 [1.0] (10)	(0)	(0)	(10) 1 [1.0] 1 [2.0]	(10)	(10)
ARDIOVASCULAR SYSTEM						
Heart Cardiomyopathy Artery, Inflammation, Chronic Active	(10) 4 [1.3]	(10) 4 [1.0]	(10) 6 [1.0]	(10) 4 [1.0]	(10) 5 [1.2] 1 [1.0]	(10) 3 [2.7]
NDOCRINE SYSTEM						
None						

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: SKIN APPLICATION

Species/Strain: RATS/F 344

Test Type: 90-DAY

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

DIISOPROPYLCARBODIIMIDE

CAS Number: 693-13-0

Pathologist: BIERLEY, B. - STEDHAM, M. - SHANAHAN, P.

Date Report Regsted: 08/08/2005

Time Report Reqsted: 08:53:32 First Dose M/F: 09/06/94 / 09/07/94

Lab: MBA

FISCHER 344 RATS MALE	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/I
GENITAL SYSTEM						
Preputial Gland Inflammation, Chronic Active	(10) 2 [2.0]	(0)	(0)	(10) 2 [2.5]	(10) 1 [2.0]	(10) 4 [1.3]
HEMATOPOIETIC SYSTEM						
Bone Marrow	(10)	(0)	(0)	(10)	(10)	(10)
Hemorrhage Lymph Node, Mandibular Hyperplasia, Lymphoid Hyperplasia, Plasma Cell	(10) 1 [2.0] 1 [2.0]	(0)	(0)	(10)	(10)	2 [2.5] (10)
Hemorrhage Lymph Node, Mesenteric	(10)	(0)	(0)	1 [1.0] (10)	(10)	(10)
Necrosis Spleen	1 [1.0] (10)	(10)	(10)	(10)	(10)	(10)
Lymphoid Follicle, Depletion Cellular Thymus Necrosis	(10)	(10)	(10)	(10)	(10) 2 [2.0]	1 [2.0] (10)
Hemorrhage Atrophy					2 [2.5] 2 [2.5]	3 [2.3]
NTEGUMENTARY SYSTEM						
Skin Epidermis, Skin, Site Of Application,	(10)	(10) 5 [1.0]	(10) 7 [1.0]	(10) 10 [1.6]	(10) 10 [2.0]	(10) 3 [2.3]
Hyperplasia Epidermis, Skin, Site Of Application, Necrosis, Focal						9 [2.9]
Skin, Site Of Application, Inflammation, Chronic Active				1 [1.0]	7 [1.7]	10 [2.8]

MUSCULOSKELETAL SYSTEM

None

NERVOUS SYSTEM

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: SKIN APPLICATION

Species/Strain: RATS/F 344

Test Type: 90-DAY

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

DIISOPROPYLCARBODIIMIDE

CAS Number: 693-13-0

Pathologist: BIERLEY, B. - STEDHAM, M. - SHANAHAN, P.

Date Report Regsted: 08/08/2005

Time Report Reqsted: 08:53:32 First Dose M/F: 09/06/94 / 09/07/94

FISCHER 344 RATS MALE	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Brain Edema, Focal Hemorrhage Congestion	(10)	(10)	(10)	(10)	(10) 5 [1.0] 1 [1.0]	(10) 1 [1.0] 4 [2.3] 1 [3.0]
Arteriole, Necrosis, Fibrinoid Neuron, Necrosis					8 [2.6]	1 [1.0]
RESPIRATORY SYSTEM						
Lung Congestion Hemorrhage Alveolus, Infiltration Cellular, Histiocyte	(10) 1 [1.0]	(0)	(0)	(10)	(10) 5 [2.8] 1 [2.0] 1 [1.0]	(10) 8 [2.8]
Interstitium, Inflammation, Chronic Active Perivascular, Infiltration Cellular,	1 [1.0] 3 [1.7]			6 [1.0]	1 [2.0] 1 [2.0]	
Lymphocyte Nose Respiratory Epithelium, Inflammation, Chronic Active	(10) 3 [1.3]	(0)	(0)	(10) 1 [1.0]	(10) 1 [2.0]	(10) 5 [1.4]
Respiratory Epithelium, Metaplasia, Squamous						3 [1.7]
Squamous Epithelium, Inflammation, Chronic Squamous Epithelium, Inflammation, Chronic Active				1 [1.0]		1 [2.0]
SPECIAL SENSES SYSTEM						
Eye Cornea, Bilateral, Degeneration, Focal	(0)	(0)	(0)	(0)	(1) 1 [2.0]	(0)
URINARY SYSTEM						
Kidney Nephropathy	(10) 5 [1.0]	(0)	(0)	(10) 2 [1.0]	(10)	(10)

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: SKIN APPLICATION

Species/Strain: RATS/F 344

Test Type: 90-DAY

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

DIISOPROPYLCARBODIIMIDE

CAS Number: 693-13-0

Pathologist: BIERLEY, B. - STEDHAM, M. - SHANAHAN, P.

Date Report Regsted: 08/08/2005

Time Report Reqsted: 08:53:32 First Dose M/F: 09/06/94 / 09/07/94

Lab: MBA

FISCHER 344 RATS MALE	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG

*** END OF MALE ***

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: SKIN APPLICATION

Species/Strain: RATS/F 344

Test Type: 90-DAY

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

DIISOPROPYLCARBODIIMIDE

CAS Number: 693-13-0

Pathologist: BIERLEY, B. - STEDHAM, M. - SHANAHAN, P.

Date Report Reqsted: 08/08/2005

Time Report Reqsted: 08:53:32 First Dose M/F: 09/06/94 / 09/07/94

Lab: MBA

FISCHER 344 RATS FEMALE	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/K
Disposition Summary						
Animals Initially in Study Early Deaths Moribund Sacrifice	10	10	10	10	10 10	10 10
Survivors Accidently Killed Terminal Sacrifice Animals Examined Microscopically	1 9 10	10 10	10 10	10 10	10	10
ALIMENTARY SYSTEM						
Liver Congestion Centrilobular, Congestion	(10)	(0)	(0)	(10)	(10) 1 [1.0]	(10) 2 [1.0]
Mesentery Fat, Necrosis	(0)	(0)	(0)	(1) 1 [3.0]	(0)	(0)
Pancreas Acinus, Cytoplasmic Alteration, Focal	(10) 1 [2.0]	(0)	(0)	(10)	(10)	(10)
CARDIOVASCULAR SYSTEM						
Heart Cardiomyopathy	(10)	(10)	(10) 1 [1.0]	(10) 2 [1.0]	(10) 2 [1.0]	(10)
ENDOCRINE SYSTEM						
Adrenal Cortex Hypertrophy, Focal	(10) 1 [2.0]	(0)	(0)	(10)	(10)	(10)
GENERAL BODY SYSTEM						
None						

GENITAL SYSTEM

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: SKIN APPLICATION

Species/Strain: RATS/F 344

Test Type: 90-DAY

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

DIISOPROPYLCARBODIIMIDE

CAS Number: 693-13-0

Pathologist: BIERLEY, B. - STEDHAM, M. - SHANAHAN, P.

Date Report Reqsted: 08/08/2005

Time Report Reqsted: 08:53:32 First Dose M/F: 09/06/94 / 09/07/94

Lab: MBA

FISCHER 344 RATS FEMALE	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Clitoral Gland	(8)	(0)	(0)	(6)	(10)	(10)
Inflammation, Chronic Active Ovary	(10)	(0)	(0)	1 [1.0] (10)	2 [1.0] (10)	1 [1.0] (10)
Cyst Uterus Hydrometra	(10)	(1)	(5) 5 [3.4]	1 [2.0] (10) 4 [2.8]	(10)	(10) 1 [2.0]
HEMATOPOIETIC SYSTEM						
Bone Marrow Hyperplasia, Focal, Lymphoid Hyperplasia, Focal, Histiocytic	(10)	(0)	(0)	(10) 1 [1.0] 2 [1.5]	(10)	(10)
Hemorrhage Atrophy					1 [1.0] 1 [1.0]	2 [2.0]
Lymph Node, Mandibular Hemorrhage	(10)	(0)	(0)	(9)	(9) 1 [2.0]	(10)
Hyperplasia, Lymphoid Lymph Node, Mesenteric Hyperplasia, Histiocytic	(10) 1 [2.0]	(0)	(0)	(10) 1 [2.0]	1 [2.0] (10)	2 [2.0] (10)
Hyperplasia, Lymphoid Thymus Atrophy	(10)	(10)	(10)	1 [3.0] (10)	(10) 4 [2.3]	(10) 1 [3.0]
INTEGUMENTARY SYSTEM						
Skin Epidermis, Skin, Site Of Application,	(10) 1 [1.0]	(10) 2 [1.0]	(10) 3 [1.0]	(10) 5 [1.0]	(10) 10 [1.4]	(10) 10 [2.8]
Hyperplasia Epidermis, Skin, Site Of Application,						10 [1.6]
Necrosis, Focal Skin, Site Of Application, Inflammation, Chronic Active					7 [1.0]	10 [3.7]

MUSCULOSKELETAL SYSTEM

None

NERVOUS SYSTEM

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: SKIN APPLICATION

Species/Strain: RATS/F 344

Test Type: 90-DAY

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

DIISOPROPYLCARBODIIMIDE

CAS Number: 693-13-0

Pathologist: BIERLEY, B. - STEDHAM, M. - SHANAHAN, P.

Date Report Regsted: 08/08/2005

Time Report Reqsted: 08:53:32 First Dose M/F: 09/06/94 / 09/07/94

FISCHER 344 RATS FEMALE	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Brain Edema, Focal Hemorrhage Arteriole, Necrosis, Fibrinoid Neuron, Necrosis	(10)	(10)	(10)	(10)	(10) 5 [1.0] 5 [2.2] 1 [1.0] 8 [2.4]	(10) 2 [1.0] 6 [2.0] 2 [4.0]
RESPIRATORY SYSTEM						
Lung Congestion Hemorrhage	(10)	(0)	(0)	(10)	(10) 5 [1.8] 1 [2.0]	(10) 8 [2.5]
Interstitium, Inflammation, Chronic Active Perivascular, Infiltration Cellular, Lymphocyte	1 [2.0] 4 [1.3]			3 [1.7] 5 [2.4]	4 [2.3]	
Nose Olfactory Epithelium, Atrophy Olfactory Epithelium, Inflammation,	(10) 1 [1.0]	(0)	(0)	(10) 1 [1.0]	(10)	(10)
Chronic Active Respiratory Epithelium, Atrophy Respiratory Epithelium, Inflammation, Chronic Active	1 [1.0]				1 [1.0]	2 [1.0]
Squamous Epithelium, Inflammation, Chronic Active					1 [1.0]	
SPECIAL SENSES SYSTEM						
None						
URINARY SYSTEM						
Kidney Congestion	(10)	(0)	(0)	(10)	(10) 1 [2.0]	(10) 1 [2.0]
Medulla, Mineralization Urinary Bladder Serosa, Mineralization	5 [1.0] (10)	(0)	(0)	6 [1.0] (10) 1 [2.0]	10 [1.0] (10)	3 [1.0] (10)

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: SKIN APPLICATION

Species/Strain: RATS/F 344

Test Type: 90-DAY

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

DIISOPROPYLCARBODIIMIDE

CAS Number: 693-13-0

Pathologist: BIERLEY, B. - STEDHAM, M. - SHANAHAN, P.

Date Report Regsted: 08/08/2005

Time Report Reqsted: 08:53:32 First Dose M/F: 09/06/94 / 09/07/94

Lab: MBA

FISCHER 3	44 RATS FEMALE	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG

*** END OF REPORT ***

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)